

# MATERIAL SAFETY DATA SHEET

Amax Industrial Products  
P.O. Box 577  
East Islip, NY 11730

General Information: 1-800-662-0023  
Chemtel: 1-800-255-3924

REVISION DATE: November 10, 2004  
DATE OF ISSUE: December 29, 2004

## I - Product Identification

### Industra Solv SP 30114-413

PRODUCT CODE: 0413

CHEMICAL FORMULATION: Water based alkaline cleaner.

NFPA HAZARD IDENTIFICATION SYSTEM: HEALTH: 2 FLAMMABILITY: 0 REACTIVITY: 0  
HAZARD RATING: 4 - Extreme; 3 - High; 2 - Moderate; 1 - Slight; 0 - Insignificant

## II - Hazardous Ingredients

Values reported as TWA unless noted.

SUBSTANCE	APPROX %	OSHA PEL	ACGIH TLV	EPA 40 CFR:			CAS #
				302	355	372	
2-Butoxyethanol	5.00-10.0	25 ppm (skin)	25 ppm (skin)	N	N	Y	111-76-2
Sodium Tripolyphosphate	1.00-5.00	N/E	N/E	Y	N	N	7758-29-4
Sodium Metasilicate	1.00-5.00	N/E	N/E	N	N	N	6834-92-0
Alkylbenzene Sulfonic Acid	1.00-5.00	N/E	N/E	N	N	N	27176-87-0
Sodium Hydroxide	.10-.50	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup> C	Y	N	N	1310-73-2

Key: PEL: Permissible Exposure Limit TLV: Threshold Limit Value C: Ceiling level STEL: Short Term Exposure Limit  
N/A: Not Applicable N/D: Not Determined N/E: Not Established Y: Yes N: No  
302: CERCLA List of Hazardous Substances and Reportable Quantities (40 CFR 302.4).  
355: SARA TITLE III / List of Extremely Hazardous Substances for Emergency Planning and Notification (40 CFR 355).  
372: SARA TITLE III / List of Toxic Chemicals subject to Release Reporting (Community Right to Know) (40 CFR 372).

## III - Physical Data

BOILING POINT (°F): N/D SPECIFIC GRAVITY: 1.02  
VAPOR PRESSURE (mm Hg): N/D VOC CONTENT (% by weight): 5.00-10.00  
VAPOR DENSITY (AIR = 1): N/D EVAPORATION RATE (WATER = 1): N/D  
SOLUBILITY IN WATER: Soluble pH: 12.00-13.00  
APPEARANCE AND ODOR: Clear, dark blue liquid; glycol odor.

## IV - Fire and Explosion Hazard Data

FLASH POINT (°F): None (TEST METHOD):  
FLAMMABLE LIMITS IN AIR (VOLUME %) UPPER: N/A LOWER: N/A  
EXTINGUISHING MEDIA: Water, foam, carbon dioxide, dry chemical.  
SPECIAL FIRE FIGHTING PROCEDURES: Cool drums in vicinity of fire with water fog. Fire fighters should be equipped with full protective gear including self-contained breathing apparatus.  
UNUSUAL FIRE AND EXPLOSION HAZARD: None

---

**V - Reactivity Data**

---

**STABILITY:** Stable**INCOMPATIBILITY:** Strong acids.**CONDITIONS TO AVOID:** None**HAZARDOUS DECOMPOSITION PRODUCTS:** Thermal decomposition may produce oxides of carbon.**HAZARDOUS POLYMERIZATION:** Will not occur.**CONDITIONS TO AVOID:** None

---

**VI - Health Hazard Data**

---

**ROUTES OF ENTRY**      **INHALATION:** X      **EYE CONTACT:** X      **SKIN CONTACT:** X      **INGESTION:** X**INGREDIENTS THAT ARE CONSIDERED BY OSHA, NTP, IARC TO BE SUSPECTED HUMAN CARCINOGENS:** None**EFFECTS OF OVEREXPOSURE****IF IN EYES:** Severe irritation, redness, tearing. Possible corneal injury.**IF ON SKIN:** Moderate to severe irritation, chapping, and dermatitis with prolonged or repeated exposure.**IF SWALLOWED:** Irritation to mucous membranes, nausea, cramps, diarrhea.**IF INHALED:** Irritation to respiratory tract, dizziness, headache.**EMERGENCY AND FIRST AID PROCEDURES****IF IN EYES:** Flush eyes and under eyelids with plenty of cool water for at least 15 minutes. Call a physician immediately and continue flushing until medical attention is obtained.**IF ON SKIN:** Remove contaminated clothing and launder before reuse. Flush with plenty of cool water for at least 15 minutes. Obtain medical attention, if irritation persists.**IF SWALLOWED:** Contact physician or poison center immediately. Rinse mouth with water. Give person one to two glasses of water. Do not induce vomiting unless told to do so by a physician or poison control center. Never give anything by mouth to an unconscious person.**IF INHALED:** Remove person to fresh air. Call a physician if irritation persists.

---

**VII - Spill or Leak Protection**

---

**STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:** Ventilate area. Contain spill. Soak up spilled material with inert absorbent material and place in a properly labeled closed container for proper disposal.**WASTE DISPOSAL METHOD:** Consult local environmental authorities.

---

**VIII - Special Protection Information**

---

**RESPIRATORY PROTECTION:** Use with adequate ventilation. If recommended Exposure Limits are exceeded wear a NIOSH approved respirator, following manufacturer's recommendations.**VENTILATION****LOCAL:** Recommended**MECHANICAL:** Not required**PROTECTIVE GLOVES:** Chemical resistant.**EYE PROTECTION:** Safety glasses or chemical goggles.**OTHER PROTECTIVE EQUIPMENT:** Protective clothing, eyewash station.**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** Store in a cool dry area, away from acids. Do not mix with any other cleaning chemical. Rinse container before discarding. Keep container tightly closed when not in use.**OTHER PRECAUTIONS:** Keep out of reach of children.

---

**IX - Transportation Information (ground transportation only)**

---

**DOT PROPER SHIPPING NAME:** None**DOT CLASS:** N/A**DOT ID NUMBER:** N/A**DOT PACKING GROUP:** N/A

The shipping information listed above applies only to non-bulk (< 119 gallons) containers of this product. This product may have more than one proper shipping name depending on packaging, product properties, & mode of shipment. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may apply.

---

**REVISION DATE:** November 10, 2004**Prepared by:** PMR**DATE OF ISSUE:** December 29, 2004

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Amax Industrial Products assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material such vendees or users assume all risks associated with the use of this material.